

Interoperable Messaging

Panel 2: Secure Communication Protocol


23-02-27

Real-World Cryptography Group FAU Erlangen-Nürnberg, Germany

Paul Rösler



Overview of Setting







End-to-End Confidentiality:


"The level of security, including the end-to-end encryption, [...] shall be preserved across the interoperable services." §3

Metadata Protection:

"The gatekeeper shall collect and exchange [...] only the personal data of end users that is strictly necessary [...]." §8

Abuse Prevention:


"The gatekeeper [should be able to **take**] **measures** to [...] **not endanger** the **integrity, security and privacy** of its services [...]." §9

















Gatekeeper's Core Protocol + X


Standardization of Protocol
 → More in Alissa Cooper's talk

→ More in Matthew Hodgson's talk






- Gatekeeper's Core Protocol + X
 - API + Documentation
 - Client: Library?
 - Server:
 - Replicate key distribution
 - Forwarding service
 - Abuse prevention (interactively)
 - Reporting and blocking mechanism
- 2. Standardization of Protocol






- 1. Gatekeeper's Core Protocol + X
 - API + Documentation
 - Client: Library?
 - Server:
 - Replicate key distribution
 - Forwarding service
 - Abuse prevention (interactively)
 - Reporting and blocking mechanism
- 2. Standardization of Protocol






- Gatekeeper's Core Protocol + X
 - API + Documentation
 - Client: Library?
 - Server:
 - Replicate key distribution
 - Forwarding service
 - Abuse prevention (interactively)
 - Reporting and blocking mechanism
- Standardization of Protocol





- 1. Gatekeeper's Core Protocol + X
 - API + Documentation
 - Client: Library?
 - Server:
 - Replicate key distribution
 - Forwarding service
 - Abuse prevention (interactively)
 - Reporting and blocking mechanism
- Standardization of Protocol






- Gatekeeper's Core Protocol + X
 - API + Documentation
 - Client: Library?
 - Server:
 - Replicate key distribution
 - Forwarding service
 - Abuse prevention (interactively)
 - Reporting and blocking mechanism


Standardization of Protocol

- New protocol
- ≥ Best gatekeeper
- Simple standard update
- Individual abuse prevention
- → Don't start with solution






Aka. "+ X"






- Message Delivery
 - Confidential + Y






- Message Delivery
 - Confidential + Y
 - Private



FAU


- Message Delivery
 - Confidential + Y
 - Private
- Abuse Reporting
- Effective User Blocking
 - For Individuals
 - From Platform
- Spam Filtering





Alternatives:


- 1. Via Pair-Wise Channels (Simple but Inefficient)
- 2. Gatekeeper's Core Protocol
- 3. Connect Providers' Subgroups
- 4. Standardize Group Protocol





Alternatives:


- 1. Via Pair-Wise Channels (Simple but Inefficient)
- 2. Gatekeeper's Core Protocol
- 3. Connect Providers' Subgroups
- 4. Standardize Group Protocol





Alternatives:

- 1. Via Pair-Wise Channels (Simple but Inefficient)
- 2. Gatekeeper's Core Protocol
- 3. Connect Providers' Subgroups
- 4. Standardize Group Protocol






Alternatives:

- 1. Via Pair-Wise Channels (Simple but Inefficient)
- 2. Gatekeeper's Core Protocol
- 3. Connect Providers' Subgroups
- 4. Standardize Group Protocol

Problems and Solutions:

- Consistent Group Management:
- → Centralized?
- → Where?
- Multiple Gatekeepers
 & Non-Gatekeepers





Conclusion

- Confidentiality, Privacy & Abuse Prevention:
 - Required!
 - Practical ✓
- Gatekeeper's vs. Standard Protocol
 - Tradeoffs:
 - Replication & Implementation Overhead
 - Standardization Overhead
 - Agility
 - Group Efficiency
- Standard Tools Deployed

Interoperability in End-to-End Encrypted Messaging

Julia Len, Esha Ghosh, Paul Grubbs, Paul Rösler Cornell Tech, Microsoft Research, University of Michigan, FAU Erlangen-Nürnberg

Thank you!

Questions & Comments?

paul.roesler@fau.de @roeslpa